Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
D. E. Koshland
S. Lowey
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

VOLUME 121
5 May to 5 June 1978

ACADEMIC PRESS
London New York San Francisco

PERIODICAL
QH301
J73
v.121
ILH LIBRARY

Copyright © 1978, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 121

NUMBER 1, 5 MAY 1978

ANNOUNCEMENT i

MUTO, A. and ZIMMERMANN, R. A., RNA–Protein Interactions in the Ribosome III. Conformation and Stability of Ribosomal Protein Binding Sites in the 16 S RNA 1

MACKIE, G. A. and ZIMMERMANN, R. A., RNA–Protein Interactions in the Ribosome IV. Structure and Properties of Binding Sites for Proteins S4, S16/S17 and S20 in the 16 S RNA 17

KOEPPE, R. E., II., HODGSON, K. O. and STRYER, L., Helical Channels in Crystals of Gramicidin A and of a Cesium–Gramicidin A Complex: an X-ray Diffraction Study 41

KOGOMA, T., A Novel *Escherichia coli* Mutant Capable of DNA Replication in the Absence of Protein Synthesis 55

KATSURA, I., Structure and Inherent Properties of the Bacteriophage Lambda Head Shell I. Polyheads Produced by Two Defective Mutants in the Major Head Protein 71

Appendix: Topological Irregularities in Tubes of *P6* Nets . . . 85

YAMADA, Y., SILNUTZER, J. and NAKADA, D., Mutant of *Escherichia coli* which Blocks T7 Bacteriophage Assembly: Accumulation of Short T7 DNA . 95

NUMBER 2, 15 MAY 1978

BENNETT, G. N., SCHWEINGRUBER, M. E., BROWN, K. D., SQUIRES, C. and YANOFSKY, C., Nucleotide Sequence of the Promoter–Operator Region of the Tryptophan Operon of *Escherichia coli* 113

BENNETT, G. N., BROWN, K. D. and YANOFSKY, C., Nucleotide Squence of the Promoter–Operator Region of the Tryptophan Operon of *Salmonella typhimurium* 139

BROWN, K. D., BENNETT, G. N., LEE, F., SCHWEINGRUBER, M. E. and YANOFSKY, C., RNA Polymerase Interaction at the Promoter–Operator Region of the Tryptophan Operon of *Escherichia coli* and *Salmonella typhimurium* 153

BENNETT, G. N. and YANOFSKY, C., Sequence Analysis of Operator Constitutive Mutants of the Tryptophan Operon of *Escherichia coli* . . 179

LEE, F., BERTRAND, K., BENNETT, G. and YANOFSKY, C., Comparison of the Nucleotide Sequences of the Initial Transcribed Regions of the Tryptophan Operons of *Escherichia coli* and *Salmonella typhimurium* 193

LEVIS, R. and PENMAN, S., Processing Steps and Methylation in the Formation of the Ribosomal RNA of Cultured *Drosophila* Cells 219

ADETUGBO, K. and MILSTEIN, C., Spontaneous Somatic Frameshift Mutation in a Mouse Myeloma 239

WILSON, L., MORSE, A. N. C. and BRYAN, J., Characterization of *acetyl*-^{3}H-labeled Vinblastine Binding to Vinblastine-tubulin Crystals 255

AHMED, A. and JOHANSEN, E., The Basis of Instability of a Revertant of the *gal*3 Insertion of *Escherichia coli* 269

CHERRY, R. J., MÜLLER, U., HENDERSON, R. and HEYN, M. P., Temperature-dependent Aggregation of Bacteriorhodopsin in Dipalmitoyl and Dimyristoylphosphatidylcholine Vesicles 283

NUMBER 3, 25 MAY 1978

OHI, S., RAMIREZ, J. L., UPHOLT, W. B. and DAWID, I. B., Mapping of Mitochondrial 4 S RNA Genes in *Xenopus laevis* by Electron Microscopy . . 299

GOSULE, L. C. and SCHELLMAN, J. A., DNA Condensation with Polyamines I. Spectroscopic Studies 311

CHATTORAJ, D. K., GOSULE, L. C. and SCHELLMAN, J. A., DNA Condensation with Polyamines II. Electron Microscopic Studies 327

BLAKE, C. C. F., GEISOW, M. J., OATLEY, S. J., RÉRAT, B. and RÉRAT, C., Structure of Prealbumin: Secondary, Tertiary and Quaternary Interactions Determined by Fourier Refinement at 1·8 Å 339

SHMOOKLER REIS, R. J. and BIRO, P. A., Sequence and Evolution of Mouse Satellite DNA 357

MIZUUCHI, K., GELLERT, M. and NASH, H. A., Involvement of Supertwisted DNA in Integrative Recombination of Bacteriophage Lambda 375

FARRELL, K. W. and WILSON, L., Microtubule Reassembly *in Vitro* of *Strongylocentrotus purpuratus* Sperm Tail Outer Doublet Tubulin . . . 393

NUMBER 4, 5 JUNE 1978

LAUGHREA, M. and MOORE, P. B., On the Relationship Between the Binding of Ribosomal Protein S1 to the 30 S Subunit of *Escherichia coli* and 3′ Terminus of 16 S 411

Van Driel, R., Kuiper, H. A., Antonini, E. and Brunori, M., Kinetics of the Co-operative Reaction of *Helix pomatia* Hemocyanin with Oxygen: Oxygen Binding at Low and Intermediate Oxygen Saturations . . 431

Matsushima, M., Marquart, M., Jones, T. A., Colman, P. M., Bartels, K., Huber, R. and Palm, W., Crystal Structure of the Human Fab Fragment Kol and its Comparison with the Intact Kol Molecule 441

Newman, C. N. and Kubitschek, H. E., Variation in Periodic Replication of the Chromosome in *Escherichia coli* B/rtt 461

Malone, R. E., Chattoraj, D. K., Faulds, D. H., Stahl, M. M. and Stahl, F. W., Hotspots for Generalized Recombination in the *Escherichia coli* Chromosome 473

McLachlan, A. D., The Double Helix Coil Structure of Murein Lipoprotein from *Escherichia coli* 493

Groth, T., Garby, L. and De Verdier, C-H., Estimation of Parameters in a Multi-affinity-state Model for Haemoglobin from Oxygen Binding Data in Whole Blood and in Concentrated Haemoglobin Solutions . . 507

Dubin, D. T. and Taylor, R. H., Modification of Mitochondrial Ribosomal RNA from Hamster Cells: The Presence of GmG and Late-methylated UmGmU in the Large Subunit (17 S) RNA 523

Birnboim, H. C., Spacing of Polypyrimidine Regions in Mouse DNA as Determined by Poly(adenylate, guanylate) Binding 541

Letters to the Editor

Birnboim, H. C. and Paterson, M. C., Preferential Incorporation of [^{3}H]thymidine into Polypyrimidine-containing Regions in DNA Following Ultraviolet Irradiation of Human Cells 561

Hough, E., Little, C. and Jynge, K., Preliminary X-ray Crystallographic Data on Phospholipase C from *Bacillus cereus* 567

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1978_121_index-contents

Index to Volume 121

acetyl-^{3}H-labeled vinblastine binding to vinblastine-tubulin crystals, 255
Adetugbo, K. & Milstein, C., Spontaneous somatic frameshift mutation in a mouse myeloma, 239
Aggregation, temperature-dependent, of bacteriorhodopsin in dipalmitoyl- and dimyristoylphosphatidylcholine vesicles, 283
Ahmed, A. & Johansen, E., The basis of instability of a revertant of the *gal*3 insertion of *Escherichia coli*, 269
Antonini, E. (see also Van Driel, R.), 431

Bacillus cereus phospholipase C, preliminary X-ray crystallographic data, 567
Bacteriophage lambda head shell, structure and inherent properties; polyheads produced by two defective mutants in the major head protein, 71
— — integrative recombination, involvement of supertwisted DNA, 375
— T7 assembly blocked by mutant of *Escherichia coli*: accumulation of short T7 DNA, 95
Bacteriorhodopsin, temperature-dependent, in dipalmitoyl- and dimyristoylphosphatidylcholine vesicles, 283
Bartels, K. (see also Matsushima, M.), 441
Bennett, G. N., Brown, K. D. & Yanofsky, C., Nucleotide sequence of the promoter–operator region of the tryptophan operon of *Salmonella typhimurium*, 139
—., Schweingruber, M. E., Brown, K. D., Squires, C. & Yanofsky, C., Nucleotide sequence of the promoter–operator region of the tryptophan operon of *Escherichia coli*, 113
—. & Yanofsky, C., Sequence analysis of operator constitutive mutants of the tryptophan operon of *Escherichia coli*, 179
— (see also Brown, K. D.), 153
— (see also Lee, F.), 193
Bertrand, K. (see also Lee, F.), 193
Binding of ribosomal protein S1 to the 30 S subunit of *Escherichia coli*, relationship to the 3′ terminus of 16 S RNA, 411
— sites for proteins S4, S16/17 and S20 in the 16 S RNA, structure and properties, 17
— — in the 16 S RNA, conformation and stability, 1
Birnboim, H. C., Spacing of polypyrimidine regions in mouse DNA as determined by poly(adenylate, guanylate) binding, 541
—. & Paterson, M. C., Preferential incorporation of [^{3}H]thymidine into polypyrimidine-containing regions in DNA following ultraviolet irradiation of human cells, 561
Biro, P. A. (see also Shmookler Reis, R. J.), 357
Blake, C. C. F., Geisow, M. J., Oatley, S. J., Rérat, B. & Rérat, C., Structure of prealbumin: secondary, tertiary and quaternary interactions determined by Fourier refinement at 1·8 Å, 339
Brown, K. D., Bennett, G. N., Lee, F., Schweingruber, M. E. & Yanofsky, C., RNA polymerase interaction at the promoter–operator region of the tryptophan operon of *Escherichia coli* and *Salmonella typhimurium*, 153
—. (see also Bennett, G. N.), 113, 139
Brunori, M. (see also Van Driel, R.), 431
Bryan, J. (see also Wilson, L.), 255

Cesium–gramicidin A complex crystals and gramicidin A crystals, an X-ray diffraction study of helical channels, 41
Chattoraj, D. K., Gosule, L. C. & Schellman, J. A., DNA Condensation with polyamines II. Electron microscopic studies, 327
—. (see also Malone, R. E.), 473
Cherry, R. J., Müller, U., Henderson, R. & Heyn, M. P., Temperature-dependent aggregation of bacteriorhodopsin in dipalmitoyl and dimyristoylphosphatidylcholine vesicles, 283
Colman, P. M. (see also Matsushima, M.), 441
Condensation of DNA with polyamines; electron microscopic studies, 327
— — — — —; spectroscopic studies, 311
Conformation and stability of ribosomal protein binding sites in the 16 S RNA, 1
Crystal structure of the human Fab fragment Kol and its comparison with the intact molecule, 441
Crystallographic date on phospholipase C from *Bacillus cereus*, 567

Dawid, I. B. (see also OHI, S.), 299
De Verdier, C-H. (see also Groth, T.), 507
DNA condensation with polyamines; electron microscopic studies, 327
— — — —; spectroscopic studies, 311
— of mouse, spacing of polypyrimidine regions as determined by poly(adenylate, guanylate) binding, 541
—, preferential incorporation of [^{3}H]thymidine into polypyrimidine-containing regions following ultraviolet irradiation of human cells, 561
— replication by novel *Escherichia coli* mutant in the absence of protein synthesis, 55
— —, periodic, variation in *Escherichia coli* B/rTT, 461
—, satellite, of mouse, sequence and evolution, 357
—, short, and a mutant of *Escherichia coli* which blocks T7 bacteriophage assembly, 95
—, supertwisted, involvement in integrative recombination of bacteriophage lambda, 375
Dipalmitoyl- and dimyristoylphosphatidylcholine vesicles, temperature-dependent aggregation of bacteriorhodopsin, 283
Double helix coiled coil structure of murein lipoprotein from *Escherichia coli*, 493
Drosophila cells, cultured, processing steps and methylation in the formation of the ribosomal RNA, 219
Dubin, D. T. & Taylor, R. H., Modification of mitochondrial ribosomal RNA from hamster cells: The presence of GmG and late-methylated UmGmU in the large subunit (17 S) RNA, 523

Electron microscopic mapping of mitochondrial 4 S RNA genes in *Xenopus laevis*, 299
— microscopic studies of DNA condensation with polyamines, 327
Escherichia coli and *Salmonella typhimurium*, comparison of the nucleotide sequences of the initial transcribed regions of the tryptophan operons, 193
— — — — —, RNA polymerase interaction at the promoter–operator region of the tryptophan operon, 153
Escherichia coli B/rTT, variation in periodic replication of the chromosome, 461
— —, hotspots for generalized recombination in the chromosome, 473
— — mutant, novel, capable of DNA replication in the absence of protein synthesis, 55
— — — which blocks T7 bacteriophage assembly: accumulation of short T7 DNA, 95
— —, nucleotide sequence of the promoter–operator region of the tryptophan operon, 113
Escherichia coli, sequence analysis of operator constitutive mutants of the tryptophan operon, 179
— —, the basis of instability of a revertant of the *gal*3 insertion, 269
— —, double helix coiled coil structure of murein lipoprotein, 493
— —, relationship between the binding of ribosomal protein S1 to the 30 S subunit and 3′ terminus of 16 S RNA, 411
Evolution and sequence of mouse satellite DNA, 357

Fab fragment Kol, human, crystal structure and its comparison with the intact Kol molecule, 441
Farrell, K. W. & Wilson, L., Microtubule reassembly *in vitro* of *Strongylocentrotus purpuratus* sperm tail outer doublet tubulin, 393
Faulds, D. H. (see also Malone, R. E.), 473
Fourier refinement of secondary, tertiary and quaternary structure of prealbumin at 1·8 Å, 339
*gal*3 insertion of *Escherichia coli*, basis of instability of a revertant, 269

Garby, L. (see also Groth, T.), 507
Geisow, M. J. (see also Blake, C. C. F.), 339
Gellert, M. (see also Mizuuchi, K.), 375
GmG and late-methylated UmGmU in large subunit (17 S) RNA; modification of mitochondrial ribosomal RNA from hamster cells, 523
Gosule, L. C. & Schellman, J. A., DNA condensation with polyamines I. Spectroscopic studies, 311
— (see also Chattoraj, D. K.), 327
Gramicidin A crystals and cesium–gramicidin A complex crystals, an X-ray diffraction study of helical channels, 41
Groth, T., Garby, L. & De Verdier, C-H., Estimation of parameters in a multi-affinity-state model for haemoglobin from oxygen binding data in whole blood and in concentrated haemoglobin solutions, 507

Haemoglobin, estimation of parameters in a multi-affinity-state model from oxygen binding data in whole blood and in concentrated haemoglobin solutions, 507
Hamster cell mitochondrial ribosomal RNA: the presence of GmG and late-methylated UmGmU in the large subunit (17 S) RNA, 523
Helical channels in crystals of gramicidin A and of a cesium–gramicidin A complex: an X-ray diffraction study, 41
Helix pomatia hemocyanin, kinetics of the co-operative reaction with oxygen; oxygen binding at low and intermediate oxygen saturations, 431
Hemocyanin of *Helix pomatia*, kinetics of its co-operative reaction with oxygen; oxygen binding at low and intermediate oxygen saturations, 431
Henderson, R. (see also Cherry, R. J.), 283
Heyn, M. P. (see also Cherry, R. J.), 283
Hodgson, K. O. (see also Koeppe, R. E., II), 41
Hotspots for generalized recombination in the *Escherichia coli* chromosome, 473
Hough, E., Little, C. & Jynge, K., Preliminary X-ray crystallographic data on phospholipase C from *Bacillus cereus*, 567
[^{3}H]thymidine, preferential incorporation into polypyrimidine-containing regions in DNA following ultraviolet irradiation of human cells, 561
Huber, R. (see also Matsushima, M.), 441
Human Fab fragment Kol, crystal structure and its comparison with the intact Kol molecule, 441

Instability of a revertant of the *gal*3 insertion of *Escherichia coli*, 269

Johansen, E. (see also Ahmed, A.), 269
Jones, T. A. (see also Matsushima, M.), 441
Jynge, K. (see also Hough, E.), 567

Katsura, I., Structure and inherent properties of the bacteriophage lambda head shell I. Polyheads produced by two defective mutants in the major head protein, 71
Kinetics of the co-operative reaction of *Helix pomatia* hemocyanin with oxygen; oxygen binding at low and intermediate oxygen saturations, 431
Koeppe, R. E., II., Hodgson, K. O. & Stryer, L., Helical channels in crystals of gramicidin A and of a cesium–gramicidin A complex: an X-ray diffraction study, 41
Kogoma, T., A novel *Escherichia coli* mutant capable of DNA replication in the absence of protein synthesis, 55
Kol, crystal structure of the Fab fragment and its comparison with the intact Kol molecule, 441
Kubitschek, H. E. (see also Newman, C. N.), 461
Kuiper, H. A. (see also Van Driel, R.), 431

λ (see also Bacteriophage), 71, 375
Laughrea, M. & Moore, P. B., On the relationship between the binding of ribosomal protein S1 to the 30 S subunit of *Escherichia coli* and 3′ terminus of 16 S, 411
Lee, F., Bertrand, K., Bennett, G. & Yanofsky, C., Comparison of the nucleotide sequences of the initial transcribed regions of the tryptophan operons of *Escherichia coli* and *Salmonella typhimurium*, 193
— (see also Brown, K. D.), 153
Levis, R. & Penman, S., Processing steps and methylation in the formation of the ribosomal RNA of cultured *Drosophila* cells, 219
Lipoprotein, murein, from *Escherichia coli*, the double helix coiled coil structure, 493
Little, C. (see also Hough, E.), 567

Mackie, C. A. & Zimmermann, R. A., RNA protein interactions in the ribosome IV. Structure and properties of binding sites for proteins S4, S16/S17 and S20 in the 16 S RNA, 17
Malone, R. E., Chattoraj, D. K., Faulds, D. H., Stahl, M. M. & Stahl, F. W., Hotspots for generalized recombination in the *Escherichia coli* chromosome, 473
Mapping of mitochondiral 4 S RNA genes in *Xenopus laevis* by electron microscopy, 299
Marquart, M. (see also Matsushima, M.), 441
Matsushima, M., Marquart, M., Jones, T. A., Colman, P. M., Bartels, K., Huber, R. & Palm, W., Crystal structure of the human Fab fragment Kol and its comparison with the intact Kol molecule, 441
McLachlan, A. D., The double helix coil structure of murein lipoprotein from *Escherichia coli*, 493

Methylation and processing steps in the formation of the ribosomal RNA of cultured *Drosophila* cells, 219
Microtubule reassembly *in vitro* of *Strongylocentrotus purpuratus* sperm tail outer doublet tubulin, 393
Milstein, C. (see also Adetugbo, K.), 239
Mitochondrial ribosomal RNA from hamster cells: the presence of GmG and late-methylated UmGmU in the large subunit (17 S) RNA, 523
— 4 S RNA genes in *Xenopus laevis*, mapping by electron microscopy, 299
Mizuuchi, K., Gellert, M. & Nash, H. A., Involvement of supertwisted DNA in integrative recombination of bacteriophage lambda, 375
Moore, P. B. (see also Laughrea, M.), 411
Morse, A. N. C. (see also Wilson, L.), 255
Mouse DNA, spacing of polypyrimidine regions as determined by poly(adenylate, guanylate) binding, 541
— myeloma, spontaneous somatic frameshift mutation, 239
Mouse satellite DNA, sequence and evolution, 357
Müller, U. (see also Cherry, R. J.), 283
Murein lipoprotein from *Escherichia coli*, the double helix coiled coil structure, 493
Mutant of *Escherichia coli* capable of DNA replication in the absence of protein synthesis, 55
— — — which blocks T7 bacteriophage assembly: accumulation of short T7 DNA, 95
Mutants, defective, in major head protein of bacteriophage lambda, structure and properties of polyheads which they produce, 71
—, operator constitutive, of the tryptophan operon of *Escherichia coli*, sequence analysis, 179
Mutation, spontaneous somatic frameshift, in a mouse myeloma, 239
Muto, A. & Zimmermann, R. A., RNA protein interactions in the ribosome III. Conformation and stability of ribosomal protein binding sites in the 16 S RNA, 1
Myeloma, mouse, spontaneous somatic frameshift mutation, 239

Nakada, D. (see also Yamada, Y.), 95
Nash, H. A. (see also Mizuuchi, K.), 375
Newman, C. N. & Kubitschek, H. E., Variation in periodic replication of the chromosome in *Escherichia coli* B/rTT, 461

Oatley, S. J. (see also Blake, C. C. F.), 339
Ohi, S., Ramirez, J. L., Upholt, W. B. & Dawid, I. B., Mapping of mitochondiral 4 S RNA genes in *Xenopus laevis* by electron microscopy, 299
Operator constitutive mutants of the tryptophan operon of *Escherichia coli*, sequence analysis, 179
Oxygen and the kinetics of the co-operative reaction of *Helix pomatia* hemocyanin; oxygen binding at low and intermediate oxygen saturations, 431
— binding data in whole blood and in concentrated haemoglobin solutions, estimation of parameters in a multi-affinity-state model for haemoglobin, 507

*P*6 net made into tubes, topological irregularities, 85
Palm, W. (see also Matsushima, M.), 441
Paterson, M. C. (see also Birnboim, H. C.), 561
Penman, S. (see also Levis, R.), 219
Phospholipase C from *Bacillus cereus*, preliminary X-ray crystallographic data, 567
Poly(adenylate, guanylate) binding determination of the spacing of polypyrimidine regions in mouse DNA, 541
Polyamines and DNA condensation; electron microscopic studies, 327
— — — —; spectroscopic studies, 311
Polyheads of bacteriophage lambda, production by two defective mutants in the major head protein, 71
Polymerase for RNA, interaction at the promoter–operator region of the tryptophan operon of *Escherichia coli* and *Salmonella typhimurium*, 153
Polypyrimidine region spacing in mouse DNA as determined by poly(adenylate, guanylate) binding, 541
— containing regions of DNA, preferential incorporation of [^{3}H]thymidine following ultraviolet irradiation of human cells, 561
Prealbumin structure: secondary, tertiary and quaternary interactions determined by Fourier refinement at 1·8 Å, 339

Processing steps and methylation in the formation of the ribosomal RNA of cultured *Drosophila* cells, 219
Promoter–operator region of the tryptophan operon of *Escherichia coli* and *Salmonella typhimurium*, RNA polymerase interaction, 153
— — — — — — — — — —, nucleotide sequence, 113
— — — — — — — — — — *Salmonella typhimurium*, nucleotide sequence, 139
Protein S1 binding to the 30 S subunit of *Escherichia coli*, relationship to the 3′ terminus of 16 S RNA, 411
Protein–RNA interactions in the ribosome: conformation and stability of ribosomal protein binding sites in the 16 S RNA 1
— — — — — —: structure and properties of binding sites for proteins S4, S16/17 and S20 in the 16 S RNA, 17

Ramirez, J. L. (see also Ohi, S.), 299
Reassembly *in vitro* of *Strongylocentrotus purpuratus* sperm tail outer doublet tubulin, 393
Recombination hotspots in the *Escherichia coli* chromosome, 473
—, integrative, of bacteriophage lambda, involvement of supertwisted DNA, 375
Replication of DNA by novel *Escherichia coli* mutant in the absence of protein synthesis, 55
—, periodic, of DNA, variation in *Escherichia coli* B/rTT, 461
Rérat, B. (see also Blake, C. C. F.), 339
Rérat, C. (see also Blake, C. C. F.), 339
RNA polymerase interaction at the promoter–operator region of the tryptophan operon of *Escherichia coli* and *Salmonella typhimurium*, 153
—, ribosomal, of cultured *Drosophila* cells, processing steps and methylation in its formation, 219
— —, mitochondrial, from hamster cells: the presence of GmG and late-methylated UmGmU in the large subunit (17 S) RNA, 523
— 4 S, mitochondrial, genes, mapping in *Xenopus laevis* by electron microscopy, 299
— 16 S 3′ terminus, relationship to the binding of ribosomal protein S1 to the 30 S subunit of *Escherichia coli*, 411
— protein interactions in the ribosome: conformation and stability of ribosomal protein binding sites in the 16 S RNA, 1
— — — — — —: structure and properties of binding sites for proteins S4, S16/S17 and S20 in the 16 S RNA, 17
Ribosomal protein binding sites in the 16 S RNA, conformation and stability, 1
— — — — — — — — —, structure and properties of binding sites for proteins S4, S16/S17 and S20, 17
— — S1 binding to the 30 S subunit of *Escherichia coli*, relationship to the 3′ terminus of 16 S RNA, 411
— RNA, mitochondrial, from hamster cells: the presence of GmG and late-methylated UmGmU in the large subunit (17 S) RNA, 523
— RNA of cultured *Drosophila* cells, processing steps and methylation in its formation, 219
S1 protein binding to the 30 S subunit of *Escherichia coli*, relationship to the 3′ terminus of 16 S RNA, 411
S4, S16/S17 and S20 proteins, structure and properties of binding sites in the 16 S RNA; RNA–protein interactions in the ribosome, 17
Salmonella typhimurium and *Escherichia coli*, comparison of the nucleotide sequence of the initial transcribed regions of the tryptophan operons, 193
— — — — —, RNA polymerase interaction at the promoter–operator region of the tryptophan operon, 153
— —, nucleotide sequence of the promoter–operator region of the tryptophan operon, 139
Satellite DNA of mouse, sequence and evolution, 357
Schellman, J. A., DNA condensation with polyamines II. Electron microscopic studies, 327
— (see also Gosule, L. C.), 311
Schweingruber, M. E. (see also Bennett, G. N.), 113
—. (see also Brown, K. D.), 153
Sequence analysis of operator constitutive mutants of the tryptophan operon of *Escherichia coli*, 179
— and evolution of mouse satellite DNA, 357
— of nucleotides of the initial transcribed regions of the tryptophan operon, comparison of *Escherichia coli* and *Salmonella typhimurium*, 193
— — — — — promoter–operator region of the tryptophan operon of *Escherichia coli*, 113
— — — — — — — — — — — — — — — — *Salmonella typhimurium*, 139
Shmookler Reis, R. J. & Biro, P. A., Sequence and evolution of mouse satellite DNA, 357

Somatic frameshift mutation, spontaneous, in a mouse myeloma, 239
Spectroscopic studies of DNA condensation with polyamines, 311
Sperm tail outer doublet tubulin of *Stronglyocentrotus purpuratus*, microtubule reassembly *in vitro*, 393
Squires, C. (see also Bennett, G. N.), 113
Stahl, F. W. (see also Malone, R. E.), 473
Stahl, M. M. (see also Malone, R. E.), 473
Strongylocentrotus purpuratus sperm tail outer doublet tubulin, microtubule reassembly *in vitro*, 393
Structure and inherent properties of the bacteriophage lambda head shell: polyheads produced by two defective mutants in the major head protein, 71
— — properties of binding sites for proteins S4, S16/17 and S20 in the 16 S RNA, 17
—, double helix coiled coil, of murein lipoprotein from *Escherichia coli*, 493
— of prealbumin: secondary, tertiary and quaternary interactions determined by Fourier refinement at 1·8 Å, 339
— — the human Fab fragment Kol and its comparison with the intact molecule, 441
Stryer, L. (see also Koeppe, R. E., II), 41

Supertwisted DNA, involvement in integrative recombination of bacteriophage lambda, 375
T7 (see also Bacteriophage), 95
Taylor, R. H. (see also Dubin, D. T.), 523
Temperature-dependent aggregation of bacteriorhodopsin in dipalmitoyl- and dimyristoylphosphatidylcholine vesicles, 283
Topological irregularities in tubes made of *P*6 nets, 85
Tryptophan operon of *Escherichia coli* and *Salmonella typhimurium*, comparison of the nucleotide sequences of the initial transcribed regions, 193
— — — — — — — —, RNA polymerase interaction at the promoter–operator region, 153
— — — — —, nucleotide sequence of the promoter–operator region, 113
— — — — —, sequence analysis of operator constitutive mutants, 179
— — — *Salmonella typhimurium*, nucleotide sequence of the promoter–operator region, 139
Tubulin crystals, characterization of *acetyl*-^{3}H-labeled vinblastine binding, 255
— of *Strongylocentrotus purpuratus* sperm tail outer doublet, microtubule reassembly *in vitro*, 393

Ultraviolet irradiation of human cells and the preferential incorporation of [^{3}H]thymidine into polypyrimidine-containing regions in DNA, 561
UmGmU, late-methylated, and GmG in large subunit (17 S) RNA; modification of mitochondrial ribosomal RNA from hamster cells, 523
Upholt, W. B. (see also Ohi, S.), 299

Van Driel, R., Kuiper, H. A., Antonini, E. & Brunori, M., Kinetics of the co-operative reaction of *Helix pomatia* hemocyanin with oxygen: oxygen binding at low and intermediate oxygen saturations, 431
Vinblastine, *acetyl*-^{3}H-labeled, binding to vinblastine-tubulin crystals, 255

Wilson, L., Morse, A. N. C. & Bryan, J., Characterization of *acetyl*-^{3}H-labeled vinblastine binding to vinblastine-tubulin crystals, 255
— (see also Farrell, K. W.), 393

Xenopus laevis, mapping of mitochondrial 4 S RNA genes by electron microscopy, 299
X-ray crystallographic data, preliminary, on phospholipase C from *Bacillus cereus*, 567
— diffraction study of helical channels in crystals of gramicidin A and of a cesium–gramicidin A complex, 41

Yamada, Y., Silnutzer, J. & Nakada, D., Mutant of *Escherichia coli* which blocks T7 bacteriophage assembly: accumulation of short T7 DNA, 95
Yanofsky, C. (see also Bennett, G. N.), 133, 139, 179
—. (see also Brown, K. D.), 153
—. (see also Lee, F.), 193

Zimmermann, R. A. (see also Mackie, G. A.), 17
—. (see also Muto, A.), 1